



Delectus seminum

Viote Alpine Botanical Garden

n°51 - 2024

MUSE - Science Museum
Trento. Italy



Giardino Botanico
Alpino Viote
Monte Bondone



MuSe
La rete dei Musei della
Scienza in Trentino



Hortus Botanicus Alpinus “Viote”

Viote Alpine Botanical Garden is one of the oldest and largest alpine gardens in Italy. It was founded in the late 1930's to promote environmental education and to contribute to the conservation of the alpine flora. Since its inception, the Garden was developed as part of Trento Science Museum, now MUSE, an extensive network of science and nature museums in Trentino, NE Italy.

“Viote” is an area well known for its unique grasslands that naturally host a very diverse flora, being the ideal setting for an alpine garden. Located at an altitude of about 5,000 feet above the sea level, the Botanical Garden faces south and is naturally rich in water, thanks to a neighbouring peat bog. Over 1,000 species of alpine plants are currently cultivated in the Garden. They are native of the major mountains of the world. Medicinal plants and endangered native taxa are a special focus of the Garden.

Viote Alpine Botanical Garden contributes to biodiversity conservation growing, propagating and banking the seeds of endangered plants native of the Eastern Italian Alps.

The central rock garden covers approximately 2 acres and is surrounded by woods and meadows for other 25 acres, where a nature trail guides the visitor through the most significant alpine habitats (flower-rich grasslands, forests, alpine shrubs and peat bogs) and the most common trees (beech, scots pine, rowan, arolla pine, larch and birch) that are explained in detail.

A panoramic point along the nature trail allows a breath-taking view over the Brenta Dolomites, the famous limestone massif. Other points of interest include arable fields with neglected and underutilized crops, a local vegetable garden and additional information on plant adaptation at high altitude engaging the senses.

Every summer Viote Alpine Botanical Garden offers to its visitors a rich programme of entertaining and educational events. Among the others, various workshops exploring different plant species and their uses engaging the senses.

In tabula: *Campanula latifolia* L.

Site details

Area covered: 10 hectares

Latitude: 46° 01' 22" N

Longitude: 11° 02' 16" E

Altitude: 1.540 m a.s.l.

Opening hours

June, July & August: 9 am - 6 pm

September: 9 am - 5 pm

Climatic data 2023


Annual mean temperature: 6,9 °C

Absolute maximum temperature (23/08/2023): 26,1 °C

Absolute minimum temperature (09/02/2023): -14,6 °C

Mean daily maximum temperature of the warmest month (August): 15,4 °C

Mean daily minimum temperature of the coldest month (January): -1,3 °C

Certain frost (mean daily minimum temperature below zero): J 

Possible frost (some daily minimum temperature below zero): F N D 

Total rainfall 1568,3 mm

Ombrothermic diagram for 2023

Giardino Botanico Alpino


1540 m s.l.m.

Viote del Monte Bondone


6,9°C

Trentino, Italy

1568,3 mm



Rainfall 2023



Month	Mean temperature °C	Rainfall mm
January	-1,3	50,2
February	0,2	0
March	2,5	43,32
April	3,7	95
May	8,5	297,2
June	13,6	57,1
July	15,4	262,8
August	15,5	201
September	12,9	111,6
October	9,6	268,6
November	1,5	82,4
December	1,1	99,1
Annual mean temperature	6,9 °C	
Total rainfall		1568 mm

Literature

Cullen J. *et al.*, 1984-2000 - The European Garden Flora. Cambridge University Press.
Beckett K., 1993 - Encyclopaedia of Alpines. Alpine Garden Society, Pershore.
Tutin T.G. *et al.*, 1964-1980 - Flora Europaea. Cambridge University Press.
Huxley *et al.*, 1992 - The New RHS Dictionary of Gardening. MacMillan, London.
Pignatti S., 2017-2019 - Flora d'Italia. Edagricole.
Prosser F., Bertolli A., Festi F., Perazza G., 2019 - Flora del Trentino. Osiride.

Staff

Curator and program manager: Helen Catherine Wiesinger
Scientific curator: Lisa Angelini
Head of educational staff: Chiara Steffanini
Horticulturalists: Emilio Coser, Francesco Rigotti
Seed collectors for 2023: Eleonora Sacchi

Delectus seminum 2024

Seeds collected in the garden

Pan-European seed list search keyword: seminumsystem2024

- 3 *Achillea clavennae* L. XX0TR20072008
- 5 *Achillea pyrenaica* Sibth. ex Godr.
XX0TR20083018
- 6 *Aconitum lycoctonum* L. s.l. XX0TR20060038
- 7 *Aconitum napellus* L. XX0TR20060043
- 53 *Actaea cimicifuga* L. XX0TR20060316
- 250 *Aethionema grandiflorum* Boiss. & Hohen.
XX0TR20150250
- 11 *Allium fistulosum* L. XX0TR20083017
- 12 *Allium lusitanicum* Lam. XX0TR20083020
- 293 *Allium pyrenaicum* Costa & Vayr.
XX0TR20230293
- 9 *Allium schoenoprasum* L. XX0TR20060089
- 10 *Allium victorialis* L. XX0TR20060096
- 239 *Alyssoides utriculata* (L.) Medik.
XX0TR20120239
- 13 *Alyssum argenteum* All. XX0TR20060099
- 14 *Alyssum montanum* L. XX0TR20060100
- 15 *Alyssum saxatile* L. XX0TR20060101
- 16 *Androsace carnea* L. XX0TR20060109
- 17 *Androsace lactea* L. XX0TR20060111
- 18 *Anemone multifida* Poir. XX0TR20060125
- 19 *Anemone narcissiflora* L. XX0TR20060126
- 20 *Anisodus luridus* Link & Otto XX0TR20083006
- 21 *Antennaria rosea* (D.C.Eaton) Greene
XX0TR20072012
- 22 *Anthemis montana* L. XX0TR20060136
- 23 *Anthyllis vulneraria* L. XX0TR20060141
- 271 *Aquilegia atrata* Koch XX0TR20180271
- 264 *Arabis alpina* L. s.l. XX0TR20170264
- 52 *Armeria alliacea* (Cav.) Hoffmanns. & Link
XX0TR20094011
- 30 *Armeria maritima* ssp. alpina (Willd.) P. Silva
XX0TR20060175
- 31 *Artemisia campestris* ssp. borealis (Pall.)
H.M.Hall & Clem. XX0TR20060186
- 32 *Artemisia chamaemelifolia* Vill. XX0TR20060187
- 33 *Aruncus dioicus* (Walter) Fernald
IT0TR20060194
- 238 *Asphodelus albus* Mill. XX0TR20120238
- 34 *Aster alpinus* L. XX0TR20060200
- 35 *Astragalus alopecurus* Pall. XX0TR20060217
- 36 *Astragalus glycyphyllos* L. XX0TR20060219
- 38 *Astrantia major* L. XX0TR20060222
- 39 *Athamanta cretensis* L. XX0TR20083021
- 40 *Atropanthe sinensis* (Hemsl.) Pascher
XX0TR20233022
- 42 *Caltha palustris* L. XX0TR20060249
- 225 *Campanula alliariifolia* Willd. XX0TR20094008
- 44 *Campanula carpatica* Jacq. XX0TR20060255
- 287 *Campanula lactiflora* M.Bieb. XX0TR20190287
- 46 *Campanula latifolia* L. XX0TR20083019
- 43 *Campanula speciosa* Pourr. XX0TR20083022
- 45 *Campanula thyrsoidea* L. XX0TR20060266
- 294 *Carex baldensis* L. XX0TR20230294
- 48 *Centaurea macrocephala* Muss.Puschk. ex
Willd. XX0TR20060280
- 227 *Centaurea orientalis* L. XX0TR20094005
- 49 *Centaurea scabiosa* L. XX0TR20060284
- 274 *Centaurea ambigua* Guss. XX0TR20180274
- 237 *Centaurea pulchra* DC. XX0TR20110237
- 273 *Centaurea tenoreana* Willk. XX0TR20180273
- 50 *Cephalaria gigantea* (Ledeb.) Bobrov
XX0TR20060289
- 251 *Cerastium tomentosum* L. XX0TR20150251
- 265 *Cerinthe minor* ssp. auriculata (Ten.) Domac
XX0TR20170265
- 295 *Chelidonium majus* L. XX0TR20230295
- 51 *Chenopodium bonus-henricus* L.
IT0TR20060305
- 288 *Cirsium purpuratum* (Maxim.) Matsum.
XX0TR20190288

- 252 *Clematis recta* L. XX0TR20150252
- 296 *Crataegus laevigata* (Poir.) DC. XX0TR20230296
- 289 *Dactylorhiza fuchsii* (Druce) Soó
XX0TR20190289
- 58 *Daphne mezereum* L. XX0TR20060359
- 60 *Delphinium elatum* L. XX0TR20060367
- 61 *Dianthus deltooides* L. XX0TR20060373
- 62 *Dianthus petraeus* Waldst. & Kit.
XX0TR20060384
- 245 *Dianthus furcatus* Balb. XX0TR20130245
- 277 *Dianthus gratianopolitanus* Vill. XX0TR20180277
- 64 *Digitalis grandiflora* Mill. XX0TR20060396
- 65 *Digitalis lutea* L. IT0TR20060399
- 66 *Digitalis parviflora* Jacq. XX0TR20060400
- 67 *Digitalis purpurea* L. XX0TR20060401
- 68 *Dracocephalum ruyschiana* L. XX0TR20060418
- 69 *Dryas drummondii* Richardson ex Hook.
XX0TR20060419
- 71 *Drypis spinosa* L. XX0TR20060423
- 72 *Echinops exaltatus* Schrad. XX0TR20060428
- 228 *Edraianthus graminifolius* (L.) A. DC.
XX0TR20094001
- 73 *Epilobium angustifolium* L. XX0TR20060434
- 75 *Erinus alpinus* L. XX0TR20060448
- 76 *Eriophyllum lanatum* (Pursh) J.Forbes
XX0TR20060457
- 77 *Eryngium alpinum* L. XX0TR20060452
- 78 *Eryngium bourgatii* Gouan XX0TR20060454
- 254 *Eryngium giganteum* M.Bieb. XX0TR20150254
- 236 *Erysimum aurantiacum* (Leyb.) Leyb.
IT0TR20100236
- 282 *Fraxinus excelsior* L. XX0TR20180282
- 79 *Fritillaria pallidiflora* Schrenk XX0TR20060482
- 81 *Genista sagittalis* L. XX0TR20060495
- 82 *Gentiana asclepiadea* L. IT0TR20060497
- 83 *Gentiana cruciata* L. XX0TR20060498
- 84 *Gentiana dinarica* Beck XX0TR20072003
- 85 *Gentiana farreri* Balf. f. XX0TR20060501
- 86 *Gentiana lutea* L. IT0TR20060518
- 281 *Gentiana paradoxa* Albov XX0TR20180281
- 87 *Gentiana septemfida* Pall. XX0TR20083004
- 88 *Gentiana tibetica* King ex Hook.f.
XX0TR20060515
- 242 *Geranium pratense* L. XX0TR20120242
- 90 *Geranium pyrenaicum* Burm.f. XX0TR20060535
- 91 *Geum coccineum* Sibth. et Sm.
XX0TR20060544
- 297 *Gillenia trifoliata* (L.) Moench. XX0TR20230297
- 94 *Globularia cordifolia* L. XX0TR20060552
- 95 *Globularia nudicaulis* L. XX0TR20060553
- 97 *Gypsophila repens* L. XX0TR20060562
- 98 *Gypsophila tenuifolia* M.Bieb. XX0TR20060563
- 99 *Helianthella quinquevneris* (Hook.) A.Gray
XX0TR20060569
- 100 *Helianthemum apenninum* (L.) Mill.
XX0TR20083013
- 241 *Helianthemum nummularium* (L.) Mill.
XX0TR20120241
- 298 *Helleborus viridis* L. XX0TR20230298
- 101 *Hemerocallis lilioasphodelus* L. XX0TR20060584
- 103 *Hesperis matronalis* L. XX0TR20060597
- 104 *Hieracium aurantiacum* L. XX0TR20060600
- 105 *Hieracium glaucum* All. XX0TR20060602
- 106 *Hieracium intybaceum* All. XX0TR20060603
- 107 *Hieracium lanatum* Vill. XX0TR20060604
- 108 *Hieracium pilosella* L. XX0TR20060605
- 109 *Hieracium porrifolium* L. XX0TR20060606
- 110 *Hieracium villosum* Jacq. XX0TR20060608
- 111 *Horminum pyrenaicum* L. XX0TR20060611
- 113 *Hypericum olympicum* L. XX0TR20072006
- 114 *Hypericum orientale* L. XX0TR20060623
- 115 *Hypericum perforatum* L. XX0TR20060624
- 116 *Hypochaeris facchiniana* Ambrosi
IT0TR20060628
- 117 *Hyssopus officinalis* L. XX0TR20060630
- 118 *Incarvillea mairei* (H.Lév.) Grierson
XX0TR20060637
- 119 *Incarvillea zhongdianensis* Grey-Wilson
XX0TR20060640

- 120 *Inula hirta* L. XX0TR20060643
- 122 *Iris graminea* L. XX0TR20060660
- 124 *Iris missouriensis* Nutt. XX0TR20060663
- 290 *Iris pallida* Lam. XX0TR20190290
- 299 *Iris pseudacorus* L. XX0TR20230299
- 229 *Iris sanguinea* Donn ex Hornem.
XX0TR20094004
- 125 *Iris setosa* Pall. ex Link XX0TR20060670
- 126 *Iris sibirica* L. XX0TR20060672
- 127 *Iris spuria* L. XX0TR20060685
- 300 *Iris cengialti* Ambrosi ex A.Kerner
XX0TR20230300
- 129 *Isatis tinctoria* L. XX0TR20060688
- 130 *Jasione laevis* Lam. XX0TR20060690
- 131 *Knautia drymeia* Heuff. XX0TR20060701
- 275 *Lactuca alpina* (L.) A.Gray XX0TR20180275
- 284 *Larix decidua* Mill. XX0TR20180284
- 278 *Leontodon hispidus* L. XX0TR20180278
- 133 *Leontopodium alpinum* Colm. ex Cass.
IT0TR20060710
- 134 *Leonurus cardiaca* L. XX0TR20060721
- 135 *Levisticum officinale* W.D.J.Koch
XX0TR20060728
- 267 *Lilium pyrenaicum* Gouan XX0TR20170267
- 137 *Linaria dalmatica* (L.) Mill. XX0TR20060785
- 138 *Linaria purpurea* (L.) Mill. XX0TR20060787
- 291 *Linaria alpina* (L.) Mill. XX0TR20190291
- 139 *Linum alpinum* Jacq. XX0TR20060792
- 292 *Lonicera xylosteum* L. XX0TR20190292
- *140 *Lupinus polyphyllus* Lindl. XX0TR20060809
- 141 *Lychnis flos-jovis* (L.) Desr. XX0TR20060812
- 144 *Malva moschata* L. XX0TR20060822
- 146 *Meconopsis cambrica* (L.) Vig. XX0TR20060826
- *147 *Mimulus guttatus* DC. XX0TR20060842
- 148 *Minuartia laricifolia* (L.) Schinz & Thell.
XX0TR20060847
- 149 *Morina longifolia* Wall. ex DC. XX0TR20060854
- 150 *Myrrhis odorata* (L.) Scop. XX0TR20060857
- 301 *Narcissus poeticus* ssp. radiiflorus (Salisb.) Baker
XX0TR20230301
- 151 *Nepeta grandiflora* M.Bieb. XX0TR20240864
- 152 *Nepeta racemosa* Lam. XX0TR20060866
- 156 *Paeonia officinalis* L. XX0TR20060901
- 158 *Papaver alpinum* L. s.l. XX0TR20060908
- 240 *Papaver apokrinomenon* Fedde
XX0TR20120240
- 159 *Papaver atlanticum* Coss. XX0TR20060911
- 160 *Papaver lateritium* K.Koch XX0TR20060914
- 161 *Papaver nudicaule* L. XX0TR20060915
- 162 *Papaver orientale* L. XX0TR20060917
- 163 *Pastinaca sativa* L. XX0TR20083010
- 164 *Penstemon fruticosus* (Pursh) Greene
XX0TR20060928
- 165 *Penstemon serrulatus* Menzies ex Sm.
XX0TR20060931
- 166 *Peucedanum ostruthium* (L.) W.D.J.Koch
IT0TR20060936
- 167 *Peucedanum rablense* W.D.J.Koch
XX0TR20060937
- 168 *Peucedanum verticillare* (L.) W.J.D.Koch ex DC.
IT0TR20060938
- 302 *Plantago maritima* ssp. serpentina (All.) Arcang.
XX0TR20230302
- 169 *Podophyllum hexandrum* Royle
XX0TR20060980
- *170 *Polemonium caeruleum* L. XX0TR20060986
- 279 *Polygonum bistorta* L. XX0TR20180279
- 171 *Potentilla alchimilloides* Lapeyr. XX0TR20061005
- 231 *Potentilla arguta* Pursch. XX0TR20094012
- 172 *Potentilla atosanguinea* G.Lodd. ex D.Don
XX0TR20061009
- 174 *Potentilla grandiflora* L. XX0TR20061021
- 175 *Potentilla pennsylvanica* L. XX0TR20061029
- 176 *Potentilla purpurea* (Royle) Hook. f.
XX0TR20061030
- 177 *Potentilla recta* L. XX0TR20061032
- 178 *Potentilla rupestris* L. XX0TR20061034
- 179 *Primula auricula* L. XX0TR20061040
- 303 *Primula cortusoides* L. XX0TR20230303

- *180 *Primula florindae* Kingdon-Ward
XX0TR20061049
- 183 *Pulsatilla rubra* (Lam.) Delarbre XX0TR20061077
- 184 *Ramonda myconi* (L.) Rchb. XX0TR20061079
- 248 *Rhaponticum scariosum* Lam. s.l.
XX0TR20130248
- 186 *Rheum palmatum* L. XX0TR20061100
- 263 *Rhodiola rosea* L. XX0TR20160263
- 255 *Rhodothamnus chamaecistus* (L.) Rchb.
XX0TR20150255
- 304 *Rosa californica* Cham. & Schldl.
XX0TR20230304
- 305 *Rosa forrestiana* Boulenger XX0TR20230305
- 187 *Rosa pendulina* L. XX0TR20241143
- 256 *Rosa pimpinellifolia* L. XX0TR20150256
- 306 *Rosa rubiginosa* L. XX0TR20230306
- 188 *Rosa rugosa* Thunb. XX0TR20061148
- 307 *Rosa suffulta* Greene XX0TR20230307
- 189 *Rosa villosa* L. XX0TR20061155
- 308 *Rosa webbiana* Wall. ex Royle XX0TR20230308
- 285 *Rosa glauca* Pourr. XX0TR20180285
- 286 *Rosa virginiana* Herrm. XX0TR20180286
- 309 *Rosa canina* L. XX0TR20230309
- 310 *Rosa pendulina* L. XX0TR20230310
- 311 *Rosa spinosissima* L. XX0TR20230311
- 190 *Rudbeckia hirta* L. XX0TR20061415
- 280 *Rumex alpinus* L. XX0TR20180280
- 191 *Salvia glutinosa* L. IT0TR20061174
- 192 *Salvia przewalskii* Maxim. XX0TR20061176
- 193 *Sanguisorba dodecandra* Moretti
XX0TR20083009
- 194 *Sanguisorba minor* Scop. XX0TR20061185
- 195 *Saponaria caespitosa* DC. XX0TR20061188
- 196 *Saussurea discolor* (Willd.) DC. XX0TR20061194
- 198 *Saxifraga exarata* Vill. XX0TR20061206
- 199 *Saxifraga hostii* Tausch XX0TR20061208
- 243 *Saxifraga mutata* L. XX0TR20170243
- 200 *Saxifraga paniculata* Mill. XX0TR20072005
- 201 *Saxifraga rotundifolia* L. XX0TR20061219
- 261 *Saxifraga pensylvanica* L. XX0TR20170261
- 202 *Scabiosa columbaria* L. XX0TR20061224
- 203 *Scabiosa graminifolia* L. XX0TR20061225
- 232 *Scopolia carniolica* Jacq. XX0TR20094010
- 312 *Scutellaria altissima* L. XX0TR20230312
- 204 *Sedum kamtschaticum* Fisch. XX0TR20061237
- 249 *Sempervivum montanum* L. XX0TR20140249
- 233 *Senecio adonidifolius* Loisel. XX0TR20094006
- 206 *Sibbaldia procumbens* L. XX0TR20061258
- 234 *Sideritis glacialis* Boiss. XX0TR20094002
- 207 *Sideritis hyssopifolia* L. XX0TR20061260
- 257 *Sideritis syriaca* L. XX0TR20150257
- 208 *Silene ciliata* Pourr. XX0TR20061264
- 313 *Silene nutans* L. XX0TR20230313
- 314 *Silene suecica* (Lodd.) Greuter & Burdet
XX0TR20230314
- 270 *Silene uniflora* ssp. *glareosa* (Jord.) Chater &
Walters XX0TR20170270
- 258 *Silene viridiflora* L. XX0TR20150258
- 142 *Silene viscaria* (L.) Jess. XX0TR20060813
- 259 *Silene vulgaris* (Moench) Garcke
IT0TR20150259
- 209 *Silene zawadzkyi* Herbich XX0TR20061270
- 210 *Sisyrinchium angustifolium* Mill.
XX0TR20061273
- 247 *Solidago virgaurea* L. XX0TR20130247
- 211 *Spiraea salicifolia* L. XX0TR20083016
- 212 *Stachys alopecuroides* (L.) Benth. XX0TR20061299
- 260 *Stachys officinalis* (L.) Trevis. XX0TR20150260
- 215 *Tanacetum corymbosum* (L.) Sch.Bip.
XX0TR20083011
- 214 *Tanacetum parthenium* (L.) Sch.Bip.
XX0TR20072001
- *216 *Telekia speciosa* (Schreb.) Baumg.
XX0TR20061318
- 217 *Thalictrum delavayi* Franch. XX0TR20061323
- 218 *Thalictrum foetidum* L. XX0TR20061324
- 219 *Tiarella cordifolia* L. XX0TR20061328

- 220 *Trollius chinensis* Bunge XX0TR20083007
 221 *Trollius pumilus* D.Don XX0TR20061351
 222 *Verbascum thapsus* L. XX0TR20061378
 223 *Veronica fruticulosa* L. XX0TR20061387
 224 *Wulfenia carinthiaca* Jacq. XX0TR20061409

Key to symbols:

* denotes potentially invasive species

**Native seeds collected in natural habitats
(Monte Bondone)**

Pan-European seed list search keyword:
seminumwild2024

- 382 *Achillea millefolium* L. IT0TR20190334
(1570 m a.s.l.)
- 383 *Actaea spicata* L. IT0TR20190335
(1700 m a.s.l.)
- 361 *Anthyllis vulneraria* L. IT0TR20170313
(1534 m a.s.l.)
- 390 *Aquilegia atrata* Koch IT0TR20200342
(1100 m a.s.l.)
- 396 *Arctostaphylos uva-ursi* (L.) Spreng.
IT0TR20230348 (1711 m a.s.l.)
- 384 *Arctostaphylos alpina* (L.) Spreng.
IT0TR20190336 (1935 m a.s.l.)
- 362 *Arnica montana* L. IT0TR20170314
(1534 m a.s.l.)
- 391 *Centaurea nervosa* Willd. IT0TR20200343
(1550 m a.s.l.)
- 397 *Chenopodium bonus-henricus* L.
IT0TR20230349 (2025 m a.s.l.)
- 385 *Clematis alpina* (L.) Mill. IT0TR20190337
(1940 m a.s.l.)
- 398 *Colchicum autumnalis* L. IT0TR20230350
(1540 m a.s.l.)
- 392 *Dactylorhiza maculata* (L.) Soó IT0TR20200344
(1460 m a.s.l.)
- 399 *Daphne mezereum* L. IT0TR20230351
(1950 m a.s.l.)
- 393 *Digitalis lutea* L. IT0TR20200345 (1250 m a.s.l.)
- 400 *Dryas octopetala* L. IT0TR20230352
(2022 m a.s.l.)
- 363 *Geum rivale* L. IT0TR20170315 (1545 m a.s.l.)
- 364 *Gypsophila repens* L. IT0TR20170316
(2125 m a.s.l.)
- 379 *Helianthemum nummularium* (L.) Mill.
IT0TR20180331 (1965 m a.s.l.)
- 365 *Heracleum sphondylium* L. IT0TR20180317
(1540 m a.s.l.)
- 386 *Heracleum sphondylium* L. IT0TR20190338
(1818 m a.s.l.)
- 366 *Hypochaeris uniflora* Vill. IT0TR20170318
(1544 m a.s.l.)
- 367 *Lilium martagon* L. IT0TR20170319
(1569 m a.s.l.)
- 394 *Lilium martagon* L. IT0TR20200346
(770 m a.s.l.)
- 387 *Lonicera nigra* L. IT0TR20190339 (1790 m a.s.l.)
- 368 *Paradisea liliastrum* (L.) Bertol. IT0TR20170320
(1551 m a.s.l.)
- 388 *Paris quadrifolia* L. IT0TR20190340
(1700 m a.s.l.)
- 369 *Parnassia palustris* L. IT0TR20170321
(2117 m a.s.l.)
- 395 *Peucedanum verticillare* (L.) W.J.D.Koch ex DC.
IT0TR20200347 (950 m a.s.l.)
- 389 *Peucedanum ostruthium* (L.) W.D.J. Koch
IT0TR20190341 (1780 m a.s.l.)
- 370 *Potentilla nitida* L. IT0TR20170322
(2125 m a.s.l.)
- 371 *Pulsatilla alpina* (L.) Delarbre IT0TR20170323
(1541 m a.s.l.)
- 401 *Pulsatilla alpina* (L.) Delarbre IT0TR20230353
(1915 m a.s.l.)
- 372 *Rumex alpinus* L. IT0TR20170324
(1539 m a.s.l.)
- 375 *Saxifraga rotundifolia* L. IT0TR20170327
(1628 m a.s.l.)
- 380 *Silene acaulis* (L.) Jacq. IT0TR20180332
(2122 m a.s.l.)
- 381 *Solidago virgaurea* L. IT0TR20180333
(1970 m a.s.l.)
- 402 *Swertia perennis* L. IT0TR20230354
(1545 m a.s.l.)
- 376 *Thalictrum aquilegifolium* L. IT0TR20170328
(1549 m a.s.l.)
- 377 *Trollius europaeus* L. IT0TR20170329
(1539 m a.s.l.)
- 403 *Trollius europaeus* L. IT0TR20230355
(2116 m a.s.l.)
- 378 *Valeriana officinalis* L. IT0TR20170330
(1550 m a.s.l.)

The International Plant Exchange Network (IPEN)

Viote Alpine Botanical Garden joined the International Plant Exchange Network (IPEN) in January 2006. For full reference please check out the IPEN section on BGCI website (www.bgci.org). IPEN binds all contracting parties to comply with a specific Code of Conduct regulating the acquisition, maintenance and supply of living plant material, in order to implement effectively the CBD prescriptions on Access and Benefits Sharing. All plant material supplied by an IPEN member is accompanied by a code that remains connected with that material and its derivatives through all generations to come. With the aid of this number it is possible to trace back where and under which conditions the plant material entered the IPEN. The first IPEN member garden that supplies a specific plant sample within the IPEN has to provide this material with an IPEN-number. The IPEN number is added in the seed list after the plant name and consists of four elements: country of origin (two positions, abbreviation according to the BGCI list, "XX" for unknown origin) - Restrictions of transfer (one position, "1" if there exist a restriction, "0" if none) - Institution acronym (in our case TR) – own internal accession code e.g. IT-0-TR-20060057 means originating from Italy, no restriction, garden code TR, own internal accession number. The supply of plant material includes the transfer of a minimum set of information connected with the IPEN-Number, consisting of the identification code of the first IPEN member garden that received the material from outside the network, together with the gardens accession number for that plant material. Country of origin if different from that of the garden and if known. Terms and conditions under which the material was acquired from the country of origin, if any. Additional information is available upon request.

Standards for seed conservation

All seeds are stored at 15% RH and 15 °C in a dedicated drying room, according to IPGRI gene bank standards. Loss of viability should be negligible for orthodox seeds.

For non IPEN members only

Agreement on the supply of living plant material for non-commercial purposes leaving the International Plant Exchange Network

Taking into account the provisions and decisions of the Convention on Biological Diversity of 1992 (CBD) and in particular those on access to genetic resources¹ and benefit-sharing, Viote Alpine Botanical Garden is committed to promote the conservation and sustainable use on biological diversity. Viote Alpine Botanical Garden therefore expects its partners when acquiring, maintaining and transferring plant material to act in accordance with the CBD and the Convention on the International Trade in Endangered Species (CITES).

The responsibility for legal handling of the plant material passes on to the recipient upon receipt of the material. The requested plant material will be supplied to the recipient only on the following conditions:

1. Based on this agreement, the plant material is supplied only for non-commercial use such as display and educational purposes as well as environmental protection. Should the recipient at a later date intend to carry out research or commercial use or a transfer for commercial use, the country of origin's prior informed consent (PIC) must be obtained in writing before the material is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
2. On receiving the plant material, the recipient endeavours to document the received plant material, its origin (country of origin, first receiving garden, „donor“ of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
3. Please note that research and development activities are not allowed on the supplied plant material, that therefore falls outside the scope of application of the Nagoya Protocol.
4. On request, the garden will forward relevant information on the transfer of the plant material to the body charged with implementing the CBD.²
5. The recipient may transfer the received plant material to third parties only under these terms and conditions and must document the transfer in a suitable manner (e.g. by using the documentation form, such as provided in Annex 1.3).

Non IPEN members are requested to sign the order slip overleaf in acceptance of the conditions set out above.

¹ According to the CBD "genetic resources" means genetic material of actual or potential value. This definition covers both living and not living material. The Code of Conduct and the IPEN covers only the exchange of living plant material (living plants or parts of plants, diaspores) thus falling in the definition of genetic resources.

² Ideally, the national focal point in the garden's home country

Delectus seminum 2024



Your full address: _____

Please specify your e-mail: _____

To place your order, please fill in the form below and return it before the **31st March 2024**.
You can either post it, or email delesemi@muse.it

Our address:

Giardino Botanico Alpino Viote
Viote Alpine Botanical Garden

Corso del Lavoro e della Scienza, 3
38122 Trento. Italy

Desiderata (Max. 20 species)

Please enter the number that precedes the species name in the attached seed list.

Conditions for the supply of PGR from Viote Alpine Botanical Garden (IPEN designation TR)

Please note that seeds are supplied for display and educational use only in accordance with article 15 of the Convention on Biological Diversity (CBD) that regulates access to Plant Genetic Resources (PGR) between more than 170 countries worldwide. Please refer to the full conditions set out overleaf.

IPEN members

Please tick the box and state your IPEN designation _____

Non IPEN members

Please fill in the declaration below:

I accept the conditions stated out overleaf for the supply of PGR from Viote Alpine Botanical Garden.

Date _____ Signature and stamp _____


Map

- Education path (IT)
- Nature trail (20 min)
- Sensory path "With closed eyes"

-  Terrace of the Stars
-  Viewpoint
-  Relax area
-  Crossroads
-  American flower bed
-  Asian flower bed
-  Cultivated field
-  Peat bog
-  Weather station
-  Restaurant Viote
-  Herbal Room
-  Playground
-  Geological Garden
-  Educational center
-  Flight chamber for bees
-  Photo exhibition







Viote Alpine Botanical Garden
Viote Monte Bondone, Trento - Italy
delesemi@muse.it
📷 📱 @giardinobotanicoviote

MUSE - Science Museum
Corso del Lavoro e della Scienza, 3
38122 Trento - Italy
T. +39 0461 270311


**Giardino Botanico
Alpino Viote**
Monte Bondone

MUSE
La rete dei Musei della
Scienza in Trentino